

# **JJ BENDER**

*High Volume Laser/Printing Solutions*

## Canon Image Runner 9070/105

### **Machine**

- **Canon Image Runner 9070/105**

### **Type**

- Digital, Multifunction Imaging System

### **Imaging System**

- Laser Dry Electrostatic Transfer

### **Developing System**

- Dry Monocomponent Toner Projection

### **Image Server Memory**

- Standard 512MB RAM + 20GB HDD

### **Interface Connections**

- 10/100Base-T (RJ-45), USB 2.0 High Speed

### **First-Copy Time**

- 2.8 Seconds From Platen Glass
- 4.1 Seconds From ADF

### **Warm-Up Time**

- 6 Minutes or Less

### **Acceptable Originals**

- Sheets, Books, 3-Dimensional Items

### **Max. Original Size**

- 11" x 17"

### **Max. Copy Size**

- 11" x 17"

### **Min. Copy Size**

- 4" x 5-7/8"

**JJ BENDER** LLC

457 Castle Ave. ▪ Fairfield, CT 06825 ▪ Tel: (203) 336-4034 ▪ Fax: (203) 368-4654

[www.jjbender.com](http://www.jjbender.com) ▪ [mail@jjbender.com](mailto:mail@jjbender.com)

# JJ BENDER

*High Volume Laser/Printing Solutions*

## Canon Image Runner 9070/105

### **Max. Mail Boxes Supported**

- 100

### **Max. Copy Reservation**

- 5 Jobs

### **Actual Resolution**

- 600 dpi x 600 dpi

### **Interpolated Resolution**

- 1200 dpi x 600 dpi (Copy)
- 2400 dpi x 600 dpi (Print)

### **Halftone**

- 256 Gradations of Gray

### **Copy Speed**

- imageRUNNER 9070: 90 cpm (Letter), 45 cpm (11" x 17")
- imageRUNNER 105+: 105 cpm (Letter), 49 cpm (11" x 17")

### **Duplexing**

- Standard Automatic Trayless

### **Magnification Reduction/Enlargement**

- 25% to 400% in 1% Increments

### **Paper Supply**

- Standard
  - Dual Front-Loading Trays (1,500 Sheets Each)
  - Dual Front-Loading Cassettes (550 Sheets Each)
  - 50-Sheet Stack Bypass
- Optional
  - 3,500-Sheet Paper Deck-N1/S1

**JJ BENDER LLC**

457 Castle Ave. ▪ Fairfield, CT 06825 ▪ Tel: (203) 336-4034 ▪ Fax: (203) 368-4654

[www.jjbender.com](http://www.jjbender.com) ▪ [mail@jjbender.com](mailto:mail@jjbender.com)

# JJ BENDER

*High Volume Laser/Printing Solutions*

## Canon Image Runner 9070/105

(Total: 7,650 Sheets)

### **Multiple Copies**

- 1 to 9,999

### **Paper Weight**

- 17 lb. Bond to 110 lb. Index  
(All Paper Sources)

### **Dimensions (H x W x D)**

- 54-7/8" x 40-3/4" x 31-3/8"  
(1395mm x 1035mm x 795mm)

### **Installation Space (W x D)**

- 41-7/8" x 31-3/8" (1064mm x 795mm)  
(with Stack Bypass Extended)

### **Weight**

- Approx. 617 lb. (280kg)

### **Power Requirements**

- 208V, 60Hz, 12A

### **Power Consumption**

- 2.5kW or Less

### **Plug**

- NEMA 6-15R

### **Toner**

- Magnetic Negative Toner – Estimated Yield: 36,600 Images

## **ACCESSORIES**

### **Automatic Document Feeder**

#### **Acceptable Originals**

- Statement to Ledger

**JJ BENDER LLC**

457 Castle Ave. ▪ Fairfield, CT 06825 ▪ Tel: (203) 336-4034 ▪ Fax: (203) 368-4654

[www.jjbender.com](http://www.jjbender.com) ▪ [mail@jjbender.com](mailto:mail@jjbender.com)

# JJ BENDER

*High Volume Laser/Printing Solutions*

## Canon Image Runner 9070/105

### **Scanning Speed**

- 80 ppm (Letter)

### **Capacity**

- 100 Sheets (All Sizes/20 lb.)

### **Paper Weight**

- 13 lb. Bond to 110 lb. Index

### **Finisher-K1N (Optional)**

#### **Number of Trays**

- Two

### **Tray Capacity**

- Top Tray:
  - 1,000 Sheets (All Sizes)  
Offset Stacking
- Lower Tray:
  - 2,000 Sheets (Letter)
  - 1,000 Sheets (11" x 17", Legal)  
Offset Stacking

### **Staple Position**

- 1 - Any Corner
- 2 - Side Margin

### **Max. Stapling Capacity**

- 100 Sheets (Letter)
- 50 Sheets (Letter-R/Legal/11" x 17")

### **Power Source**

- Directly From Main Unit

### **Power Consumption**

- 220W

**JJ BENDER LLC**

457 Castle Ave. ▪ Fairfield, CT 06825 ▪ Tel: (203) 336-4034 ▪ Fax: (203) 368-4654

[www.jjbender.com](http://www.jjbender.com) ▪ [mail@jjbender.com](mailto:mail@jjbender.com)

# JJ BENDER

*High Volume Laser/Printing Solutions*

## Canon Image Runner 9070/105

### **Dimensions (H x W x D)**

- 39-1/4" x 26-1/4" x 29-1/8"  
(995mm x 667mm x 738mm)

### **Weight**

- Approx. 141 lb. (64kg)

### **Type of Staple**

- Staple-G1 (5,000 x 3)
- Staple-H1 (5,000 x 3)

### **Finisher-K2N (Optional)**

#### **Number of Trays**

- Two

#### **Tray Capacity**

- Top Tray
  - 1,000 Sheets (All Sizes)  
Offset Stacking
- Lower Tray
  - 2,000 Sheets (Letter)
  - 1,000 Sheets (11" x 17", Legal)  
Offset Stacking

#### **Staple Position**

- 1 - Any Corner
- 2 - Side Margin

#### **Max. Stapling Capacity**

- 100 Sheets (Letter)
- 50 Sheets (Letter-R/Legal/11" x 17")

#### **Hole-Punch**

- 3 Holes (11" x 17", Letter)
- 2 Holes (Legal, Letter-R)

**JJ BENDER LLC**

457 Castle Ave. ▪ Fairfield, CT 06825 ▪ Tel: (203) 336-4034 ▪ Fax: (203) 368-4654

[www.jjbender.com](http://www.jjbender.com) ▪ [mail@jjbender.com](mailto:mail@jjbender.com)

# JJ BENDER

*High Volume Laser/Printing Solutions*

## Canon Image Runner 9070/105

### **Punch Waste Tray Capacity**

- Approx. 10,000 Sheets

### **Power Source**

- Directly From Main Unit

### **Power Consumption**

- 240W

### **Dimensions (H x W x D)**

- 39-1/4" x 26-1/4" x 29-1/8"  
(995mm x 667mm x 738mm)

### **Weight**

- Approx. 145 lb. (66kg)

### **Type of Staple**

- Staple-G1 (5,000 x 3)
- Staple-H1 (5,000 x 3)

### **Saddle Finisher-K3N (Optional)**

#### **Number of Trays**

- Three

#### **Tray Capacity**

- Top Tray
  - 1,000 Sheets (All Sizes)  
Offset Stacking
- Lower Tray
  - 2,000 Sheets (Letter)
  - 1,000 Sheets (11" x 17", Legal)  
Offset Stacking
- Saddle-Stitch Tray: 30 Sets

#### **Staple Position**

**JJ BENDER LLC**

457 Castle Ave. ▪ Fairfield, CT 06825 ▪ Tel: (203) 336-4034 ▪ Fax: (203) 368-4654

[www.jjbender.com](http://www.jjbender.com) ▪ [mail@jjbender.com](mailto:mail@jjbender.com)

# JJ BENDER

*High Volume Laser/Printing Solutions*

## Canon Image Runner 9070/105

- 1 - Any Corner
- 2 - Side Margin

### **Max. Stapling Capacity**

- 100 Sheets (Letter)
- 50 Sheets (Letter-R/Legal/11" x 17")

### **Hole-Punch**

- 3 Holes (11" x 17", Letter)
- 2 Holes (Legal, Letter-R)

### **Punch Waste Tray Capacity**

- Approx. 10,000 Sheets

### **Saddle-Stitched Capabilities**

- Saddle-Stitched Paper Sizes: 11" x 17", Letter-R, Legal
- Stapling Capacity: 15 Sheets (60 Pages)
- Folding: V-Folding Standard

### **Power Source**

- Directly From Main Unit

### **Power Consumption**

- 260W

### **Dimensions (H x W x D)**

- 39-1/4" x 31-5/8" x 29-1/8"  
(995mm x 803mm x 738mm)
- 44-7/8" x 38-7/8" x 29-1/8"  
(1138mm x 987mm x 738mm) with
- Paper Folding Unit-C1 and  
Document Insertion Unit-B1

### **Weight**

- Approx. 279 lb. (127kg)
- Approx. 423 lb. (192kg) when configured with Paper Folding Unit-C1

**JJ BENDER LLC**

457 Castle Ave. ▪ Fairfield, CT 06825 ▪ Tel: (203) 336-4034 ▪ Fax: (203) 368-4654

[www.jjbender.com](http://www.jjbender.com) ▪ [mail@jjbender.com](mailto:mail@jjbender.com)

# JJ BENDER

*High Volume Laser/Printing Solutions*

Canon Image Runner 9070/105

and Document Insertion Unit-B1

## **Type of Staple**

- Staple-G1 (5,000 x 3)
- Staple-H1 (5,000 x 3)
- Staple Cartridge-D2  
(2,000 x 3 Cartridges)  
for Saddle Stitch Unit

## **Paper Deck-N1 (Optional)**

### **Paper Capacity**

- 3,500 Sheets

### **Paper Size**

- Letter

### **Paper Weight**

- 17 lb. Bond to 110 lb. Index

### **Power Source**

- Directly From Main Unit

### **Power Consumption**

- 65W

### **Dimensions (H x W x D)**

- 22-1/2" x 12-3/4" x 23"  
(570mm x 323mm x 583mm)

### **Weight**

- Approx. 90.3 lb. (41kg)

## **Paper Deck-S1 (Optional)**

### **Paper Capacity**

- 3,500 Sheets

### **Paper Size**

**JJ BENDER LLC**

457 Castle Ave. ▪ Fairfield, CT 06825 ▪ Tel: (203) 336-4034 ▪ Fax: (203) 368-4654

[www.jjbender.com](http://www.jjbender.com) ▪ [mail@jjbender.com](mailto:mail@jjbender.com)

# JJ BENDER

*High Volume Laser/Printing Solutions*

## Canon Image Runner 9070/105

- Letter-R, Letter, Legal, 11" x 17"

### **Paper Weight**

- 17 lb. Bond to 110 lb. Index

### **Power Source**

- Directly From Main Unit

### **Power Consumption**

- 65.5W

### **Dimensions (H x W x D)**

- 22-5/8" x 23-3/8" x 24-1/2"  
(575mm x 593mm x 621mm)

### **Weight**

- Approx. 101 lb. (46kg)

### **Document Insertion Unit-B1s (Optional)**

#### **Paper Size**

- Letter-R to 11" x 17"

#### **Paper Weight**

- 17 lb. Bond to 110 lb. Index

#### **Feeder Capacity**

- Letter, Letter-R: 100 Sheets
- Legal, 11" x 17": 50 Sheets

#### **Power Source**

- From Finisher

#### **Power Consumption**

- 30W

#### **Dimensions (H x W x D)**

**JJ BENDER LLC**

457 Castle Ave. ▪ Fairfield, CT 06825 ▪ Tel: (203) 336-4034 ▪ Fax: (203) 368-4654

[www.jjbender.com](http://www.jjbender.com) ▪ [mail@jjbender.com](mailto:mail@jjbender.com)

# JJ BENDER

*High Volume Laser/Printing Solutions*

## Canon Image Runner 9070/105

- 5-5/8" x 22-1/8" x 23"  
(144mm x 561mm x 584mm)

### **Weight**

- Approx. 35 lb. (16kg)

### **Paper Folding Unit-C1s (Optional)**

#### **Paper Size**

- 11" x 17" Only

#### **Paper Weight**

- 17 lb. to 20 lb. Bond

#### **Fold Type**

- Z-Fold

#### **Power Source**

- From Finisher

#### **Power Consumption**

- 80W

#### **Dimensions (H x W x D)**

- 39-1/4" x 7-1/8" x 26-5/8"  
(995mm x 179mm x 675mm)

### **Weight**

- Approx. 108 lb. (49kg)

### **Booklet Trimmer-A1s (Optional)**

#### **Sheet Capacity**

- 30 Sheets (60 Pages)

#### **Stack Capacity**

- 7-1/8" (Approx. 2,000 Pages)

#### **Dust Capacity**

**JJ BENDER LLC**

457 Castle Ave. ▪ Fairfield, CT 06825 ▪ Tel: (203) 336-4034 ▪ Fax: (203) 368-4654

[www.jjbender.com](http://www.jjbender.com) ▪ [mail@jjbender.com](mailto:mail@jjbender.com)

# JJ BENDER

*High Volume Laser/Printing Solutions*

## Canon Image Runner 9070/105

- Approx. 2,000 Pages (Letter)

### **Power Requirements**

- 120V AC, 60Hz

### **Power Consumption**

- 300W Max.

### **Dimensions (H x W x D)**

- 22-1/8" x 52" x 24-3/4"  
(562mm x 1321mm x 629mm)

### **Weight**

- Approx. 149 lb. (68kg)

### **Universal Send Kit-C1**

#### **Sending Method**

- E-Mail, I-Fax, User Inbox, File Server (IPX, FTP, SMB)

#### **Address Book Capacity**

- Maximum 1,800

#### **File Format**

- Standard: TIFF, PDF
- Optional: PDF (OCR)

#### **Sending Size**

- Statement to Ledger

#### **Scan Density**

- 200/300/400/600 dpi

#### **Multi-PDL Printer Kit-F1 (Optional)**

##### **Processor:**

- Canon Custom Processor-Shared

**JJ BENDER LLC**

457 Castle Ave. ▪ Fairfield, CT 06825 ▪ Tel: (203) 336-4034 ▪ Fax: (203) 368-4654

[www.jjbender.com](http://www.jjbender.com) ▪ [mail@jjbender.com](mailto:mail@jjbender.com)

# JJ BENDER

*High Volume Laser/Printing Solutions*

## Canon Image Runner 9070/105

### Memory

- 512MB-Shared

### Storage

- 20GB-Shared

### PDL Support

- PostScript 3 Emulation
- PCL 5e, PCL 6, UFR II

### Protocol Stacks

- Ethernet
  - IPX/SPX™: 802.2, 802.3
  - Ethernet II, 802.2 SNAP
  - TCP/IP
- AppleTalk® Phase II

### Network OS

- Novell® NetWare® v3.2, 4.1, 4.11, 4.2, 5, 5.1, 6, 6.5
- Windows® 98/Me/2000/XP
- Windows NT® 4.0
- Windows 2003 Server
- Solaris™ 1.1x, 2.5x or Later
- Apple® System 8.0 or Later (PPD)

### imagePASS-M3 Print Controllern (Optional)

#### Type

- External Stand-Alone Controller

### Processor

- Intel® Celeron® 2.5GHz

### Memory

- 256MB

### Storage

**JJ BENDER LLC**

457 Castle Ave. ▪ Fairfield, CT 06825 ▪ Tel: (203) 336-4034 ▪ Fax: (203) 368-4654

[www.jjbender.com](http://www.jjbender.com) ▪ [mail@jjbender.com](mailto:mail@jjbender.com)

# JJ BENDER

*High Volume Laser/Printing Solutions*

## Canon Image Runner 9070/105

- 40GB HDD

### **PDL Support**

- Adobe® PostScript® 3, PCL 5e, PCL 6

### **Interface Connections**

- Standard: 10/100/1000Base-T (RJ-45)
- Optional: Parallel Interface Adapter (IEEE 1284)

### **Internal Fonts**

- PS
  - Roman PS Font (Type 1) – 126 Fonts
  - Roman PS Font (True Type) – 10 Fonts
  - PCL 5e/6: 113 Fonts, 32 Barcode Fonts
  -

### **Protocol Stacks**

- IPX/SPX
  - Ethernet II/Ethernet 802.2/Ethernet 802.3/Ethernet SNAP
- TCP/IP
  - Ethernet II
- AppleTalk
  - Ethernet SNAP
- SMB
  - Ethernet II

### **Network OS**

- Novell NetWare v.5.x or Later (IPX/SPX)
- Windows 98/Me/2000/XP
- Windows NT 4.0
- Windows Server 2003
- Solaris 8 or Later
- Apple® Macintosh® OS 9.1 or Later,
- OS X 10.2 or Later

### **Dimensions (H x W x D)**

- 15-1/2" x 6-3/8" x 15-3/4"

**JJ BENDER LLC**

457 Castle Ave. ▪ Fairfield, CT 06825 ▪ Tel: (203) 336-4034 ▪ Fax: (203) 368-4654

[www.jjbender.com](http://www.jjbender.com) ▪ [mail@jjbender.com](mailto:mail@jjbender.com)

# JJ BENDER

*High Volume Laser/Printing Solutions*

## Canon Image Runner 9070/105

(394mm x 162mm x 400mm)

### **Weight**

- 21 lb. (9.6kg)

### **Power Requirements**

- 110 to 240V, 1A

### **Utility Software**

- Network ScanGear
- Remote UI™
- NetSpot® Console, NetSpot Job Monitor
- NetSpot Resource Downloader
- NetSpot Device Installer
- JBIG ImageViewer
- Canon LPR 2
- Canon NDPS Gateway
- Canon Font Manager
- DSE (Device Status Extension)
- Fiery® Downloader
- Fiery Remote Scan
- Command WorkStation®
- E-Mail Port Monitor
- WebTools™

### **EFI Options**

- Hot Folders
- Impose

### **Other Accessories and Supplies**

- Tab Feeding Attachment-A1
- FL Cassette-P4
- Card Reader-D1
- GPR-7 Toner
- Staple-G1
- Staple-H1

**JJ BENDER LLC**

457 Castle Ave. ▪ Fairfield, CT 06825 ▪ Tel: (203) 336-4034 ▪ Fax: (203) 368-4654

[www.jjbender.com](http://www.jjbender.com) ▪ [mail@jjbender.com](mailto:mail@jjbender.com)

# ***JJ BENDER***

*High Volume Laser/Printing Solutions*

## Canon Image Runner 9070/105

- Staple-D2
- Basic Card Set, Card Sets 1 (1-30),  
2 (31-100), and 3 (101-200)
- USB Application Interface Board-D1
- Expansion Bus-A1
- imageRUNNER Security Kit-A2
- Universal Send PDF Enhancement Kit-B1
- Barcode Printing Kit
- Web Access Software
- Voice Guidance Kit
- Remote Operators Software Kit

***JJ BENDER LLC***

457 Castle Ave. ▪ Fairfield, CT 06825 ▪ Tel: (203) 336-4034 ▪ Fax: (203) 368-4654

[www.jjbender.com](http://www.jjbender.com) ▪ [mail@jjbender.com](mailto:mail@jjbender.com)