

JJ BENDER

High Volume Laser/Printing Solutions

Konica Minolta CPP500 Specifications

Machine

- **Konica Minolta CPP500**

Type

- Console

Print / Copy Process

- Tandem Intermediate Transfer Laser Electrostatic Method

Copy / Print Speed

- 50 ppm (A4/Letter – Color and B&W)

Resolution

- 600 x 600 dpi, 600 x 1800 (enhanced resolution)

Toner Technology

- Konica Simitri™ Color Polymerized Toner

Gradation

- 56 Shades Per Pixel

Magnification

- 25%–400%

Maximum Monthly Page Volume

- 150,000 Pages

First Copy Out

- 7.6 Seconds (color); 6.0 Seconds (B&W)

Warm Up Time

- 6.5 Minutes

Copier Memory

- 512 MB Standard; 1,024 MB Maximum

JJ BENDER LLC

457 Castle Ave. ▪ Fairfield, CT 06825 ▪ Tel: (203) 336-4034 ▪ Fax: (203) 368-4654

www.jjbender.com ▪ mail@jjbender.com

JJ BENDER

High Volume Laser/Printing Solutions

Konica Minolta CPP500 Specifications

Max. Original Size

- Up to 11" x 17"

Paper Sizes

- 4.0" x 5.9";
- 5.5" x 8.5";
- 11" x 17";
- 8.5" x 11";
- 8.5" x 11"R;
- 12" x 18";
- 13" x 19.2"

Duplexing

- Standard

Multiple Copies

- 1 to 9,999

Standard Paper Capacity

- 1,750 Sheets
- 3 x 500 Sheets
- 250-Sheet Multi-Purpose
- BypassTray

Optional Paper Capacity

- 2,500-Sheet Large Capacity Tray

Paper Weight

- All Standard Trays (Auto Duplex) Plain Paper (64-209 gsm) 55-lb Bond/75-lb Cover/110-lb
- index Bypass Tray: 64-256 gsm (up to 140-lb Index)
- LCT: 64-256 gsm (up to 140-lb Index)

Power Requirements

- 208V, 50/60Hz

JJ BENDER LLC

457 Castle Ave. ▪ Fairfield, CT 06825 ▪ Tel: (203) 336-4034 ▪ Fax: (203) 368-4654

www.jjbender.com ▪ mail@jjbender.com

JJ BENDER

High Volume Laser/Printing Solutions

Konica Minolta CPP500 Specifications

Dimensions (W x D x H)

- 31.3" x 35.0" x 41.6"
- Printer: 23.4"W x 28.7"D x 22.4"H

Weight

- 690 lbs

Print Controller

- Fiery® S300: 2 GHz Intel Pentium IV Processor with 1GB Memory and 60 GB Hard Disk

JJ BENDER LLC

457 Castle Ave. ▪ Fairfield, CT 06825 ▪ Tel: (203) 336-4034 ▪ Fax: (203) 368-4654

www.jjbender.com ▪ mail@jjbender.com