

# JJ BENDER

High Volume Laser/Printing Solutions

## Xerox DocuColor 6060 Specifications

### Machine

- **Xerox DocuColor 6060**

### Resolution

- 600 x 600 dpi (8-bit depth)
- Line screens
  - 600 Line Screen - 300 Line Screen
  - 200 Rotated Line Screen - 200 Cluster Dot Line Screen
  - 150 Cluster Dot Line Screen

### ColorBridge Technology

- LOFT (Low Oil Fusing Technology)
- Digital Blanket™
- TRACS (Toner Reproduction Auto Correction System)

### Productivity for the DocuColor 6060 Digital Press

- 45 ppm ( A4, 8.5" x 11" ) 18 lb. Bond, 45 lb. Text (64 – 74 gsm)
- 60 ppm ( A4, 8.5" x 11" ) 20 lb. Bond, 50 lb. Text – 36 lb. Bond/90 lb. Text (75 – 135 gsm)
- 45 ppm ( A4, 8.5" x 11" ) 90 lb. Tag – 10 pt (136 – 220 gsm)
- 30 ppm ( A4, 8.5" x 11" ) 125 Index – 110 lb. Cover (221 – 300 gsm)
- 22.5 ppm ( A4, 8.5" x 11" ) Transparencies

### Paper Handling

- Trays 1 and 2 – 2,000 sheets each 7.17" x 10.12" (B5) to 12.6" x 19.2", 16 lb. Bond/45 lb. Text to 110 lb. Cover (64 to 300 gsm), uncoated, coated)  
*Note: Tray capacity based on 24 lb. (90 gsm) substrate*
- Other Substrates
  - Transparencies (A4, 8.5" x 11")
- Offsetting Output Tray
  - 500 sheets with automatic offsetting of sets
- Duplex
  - Automatic duplexing from all trays up to 59 lb., 149 lb. Text (220 gsm)

### Document Capture

- Up to 300 pages (A3, 11" x 17")

**JJ BENDER LLC**

457 Castle Ave. ▪ Fairfield, CT 06825 ▪ Tel: (203) 336-4034 ▪ Fax: (203) 368-4654

[www.jjbender.com](http://www.jjbender.com) ▪ [mail@jjbender.com](mailto:mail@jjbender.com)

# JJ BENDER

*High Volume Laser/Printing Solutions*

## Xerox DocuColor 6060 Specifications

- 25% - 400% enlargement and reduction
- Margin Shift
- Book Copy

### Features

- Automatic Image Rotation
- Concurrent print, scan and job programming
- 4 Color Modes – Auto, 4-Color, 3-Color, Black
- Image Quality Controls
- Hue, Color Balance, Chroma, Sharpness
- Face-Up or Face-Down Output
- Photo Mode, Map Mode, Text Mode, Text and Photo Mode

### Options

- 4,000-sheet Secondary Feeder Module
- 2,250-sheet High Capacity Stacker/Stapler
- 3,750-sheet High Capacity Stacker
- Integrated Digital Scanner
- Duplexing Automatic Document Feeder – DADF

### Electrical

- Base configuration: 208-240 Vac, 50/60 Hz, 30A
- An additional 115 VAC 60Hz US or 220 VAC 50 Hz is required for RIP and feeding/finishing modules

### Size

- Base printing system (without RIP and/or feeding/finishing devices)
  - 113" (W) x 44" (L) x 56" (H)
  - 2870 mm (W) x 1118 mm (L) x 1408 mm (H)
  - Weight: 2174 lbs. (988 kg)

### RIPs

- DocuSP 6000XC – Refer to 610P713230
- EXP6000 – Refer to 610P713210
- CXP6000 – Refer to 610P713200

**JJ BENDER LLC**

457 Castle Ave. ▪ Fairfield, CT 06825 ▪ Tel: (203) 336-4034 ▪ Fax: (203) 368-4654

[www.jjbender.com](http://www.jjbender.com) ▪ [mail@jjbender.com](mailto:mail@jjbender.com)

# ***JJ BENDER***

*High Volume Laser/Printing Solutions*

## Xerox DocuColor 6060 Specifications

### **Counterfeit Deterrent Marking System**

- In cooperation with various government agency requests to discourage unauthorized copying, DocuColor 6060 incorporates a Counterfeit Deterrent Marking and Banknote Detection System. The Marking System encodes each copy, so the source Digital Press can be identified if necessary. This code is not visible under normal viewing conditions.

***JJ BENDER** LLC*

457 Castle Ave. ▪ Fairfield, CT 06825 ▪ Tel: (203) 336-4034 ▪ Fax: (203) 368-4654

[www.jjbender.com](http://www.jjbender.com) ▪ [mail@jjbender.com](mailto:mail@jjbender.com)